

# *NORWEGIAN TOOLS AS* ✓



# Lager standard i Moss - ? Lager på fabrikk



# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

M



Diam	Gj.parti	Lengde	Tange Ø	Din 352
M1,0	5	32	2,5	#
M1,1	5	32	2,5	#
M1,2	5	32	2,5	#
M1,4	7	32	2,5	#
M1,6	8	32	2,5	#
M1,7	8	32	2,5	#
M1,8	8	32	2,5	#
M2	9	36	2,8	#
M2,2	9	36	2,8	#
M2,3	9	36	2,8	#
M2,5	9	40	2,8	#
M2,6	9	40	162,8	#
M3	11	40	3,5	#
M3,5	11	45	4	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352
M4	13	45	4,5	#
M4,5	16	50	6	#
M5	16	50	6	#
M5,5	18	50	6	#
M6	19	50	6	#
M7	19	50	6	#
M8	22	56	8	#
M9	22	63	7	#
M11	24	70	8	#
M12	29	75	9	#
M13	29	75	9	#
M14	30	80	11	#
M15	32	80	12	#
M16	32	80	12	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

M



Diam	Gj.parti	Lengde	Tange Ø	Din 352		Diam	Gj.parti	Lengde	Tange Ø	Din 352
M18	40	95	14	#		M56	85	200	35	?
M19	40	95	14	#		M60	85	200	35	?
M20	40	95	16	#		M64	90	200	39	?
M22	40	100	18	#		M68	90	220	39	?
M24	50	110	18	#		M72	80	240	39	?
M27	50	110	16	#		M76	80	240	39	?
M30	56	125	18	#		M80	85	260	39	?
M33	56	125	20	#		M84	85	260	39	?
M36	63	150	22	#		M88	85	260	39	?
M39	63	150	24	#		M90	85	260	39	?
M42	63	150	24	#		M92	90	280	44	?
M45	70	160	29	#		M96	90	280	44	?
M48	75	180	29	#		M100	90	280	44	?
M52	75	180	32	#						

# NORWEGIAN TOOLS AS ✓

Rett bunntapp **venstre**

## Din-13

### M



Diam	Gj.parti	Lengde	Tange Ø	Din 352
M3	11	40	3,5	#
M4	13	45	4,5	#
M5	16	50	6	#
M6	19	50	6	#
M8	22	56	8	#
M10	24	70	10	#
M12	29	75	9	#
M14	30	80	11	#
M16	32	80	12	#
M18	40	95	14	#
M20	40	95	16	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352
M22	40	100	18	#
M24	50	110	18	#
M27	50	110	16	#
M30	56	125	18	#
M33	56	125	20	#
M36	63	150	22	#
M39	63	150	24	#
M42	63	150	24	?
M45	70	160	29	?
M48	75	180	29	?
M52	75	180	32	?

# NORWEGIAN TOOLS AS ✓

Sett a 3 tapper, en med styring

## Din-13

**M**



Diam	Gj.parti	Lengde	Tange Ø	Din 352	Diam	Gj.parti	Lengde	Tange Ø	Din 352
M3	11	40	3,5	#	M8	22	56	6	#
M4	13	45	4,5	#	M10	24	70	7	#
M5	16	50	6	#	M12	29	75	9	#
M6	19	50	6	#					

Sett a 3 Std tapper

## Din-13

**M**



Diam	Gj.parti	Lengde	Tange Ø	Din 352	Diam	Gj.parti	Lengde	Tange Ø	Din 352
M3	11	40	3,5	#	M12	29	75	9	#
M4	13	45	6	#	M14	30	80	11	#
M5	16	50	6	#	M16	32	80	12	#
M6	19	50	6	#	M18	40	95	14	#
M8	22	56	8	#	M20	40	95	16	#
M10	24	70	10	#	M24	50	110	18	#

# NORWEGIAN TOOLS AS ✓

Serietapper, sett a 3 tapper

## Din-13

## M



Diam	Gj.parti	Lengde	Tange Ø	Din 352
M2	8	36	2,8	#
M3	11	40	3,5	#
M4	13	45	4,5	#
M5	16	50	6	#
M6	19	50	6	#
M7	18	50	6	#
M8	22	56	6	#
M9	22	63	7	#
M10	24	70	7	#
M11	29	75	8	#
M12	29	75	9	#
M14	30	80	11	#
M16	32	80	12	#
M18	40	95	14	#
M20	40	95	16	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352
M22	40	100	18	#
M24	50	110	18	#
M27	50	110	20	#
M30	56	125	22	#
M33	56	125	25	#
M36	63	150	28	#
M39	63	150	32	X
M42	63	150	32	X
M45	70	160	36	X
M48	75	180	36	X
M52	75	180	40	X
M56	85	200	45	?
M60	85	200	45	?
M64	90	220	50	?
M68	90	220	50	?

X – Lagerføres ikke i serie, kun i singel tapp

# NORWEGIAN TOOLS AS ✓

## Maskintapp HSS cob Din-13 UFS E24



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M1,0	4	40	2,5	?
M1,1	4	40	2,5	?
M1,2	4	40	2,5	?
M1,4	5	40	2,5	?
M1,6	6	40	2,5	?
M1,7	6	40	2,5	?
M1,8	6	40	2,5	?
M2	6	45	2,8	#
M2,5	6	50	2,8	#

Diam	Gj.parti	Lengde	Tange Ø	Din 371
M3	11	56	3,5	#
M3,5	13	56	4,0	#
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M7	19	80	7	#
M8	22	90	8	#
M9	22	90	10	#
M10	24	100	10	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp HSS cob Din-13 UFS E25



Diam	Gj.parti	Lengde	Tange Ø	Din 376
M9	22	90	7	?
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#
M27	38	160	20	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M30	45	180	22	#
M33	45	180	25	#
M36	50	200	28	#
M39	56	200	32	#
M42	60	200	32	#
M45	65	220	36	#
M48	70	250	36	#
M52	70	250	40	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp TIN coating Din-13 UFS ET24-25



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M2	6	45	2,8	#
M2,5	6	50	2,8	?
M3	11	56	3,5	#
M3,5	13	56	4,0	?
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M7	19	80	7	?
M8	22	90	8	#
M9	22	90	10	?
M10	24	100	10	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#
M27	38	160	20	#
M30	45	180	22	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp TICN coating Din-13 OSG A-POT



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M2	6	45	2,8	#
M2,5	6	50	2,8	?
M3	11	56	3,5	#
M3,5	13	56	4,0	?
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M7	19	80	7	?
M8	22	90	8	#
M9	22	90	10	?
M10	24	100	10	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp OX coating Din-13 OSG S-POT



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M2	6	45	2,8	#
M2,5	6	50	2,8	?
M3	11	56	3,5	#
M3,5	13	56	4,0	?
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M7	19	80	7	?
M8	22	90	8	#
M9	22	90	10	?
M10	24	100	10	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp HSS cob Din-13 UFS E60



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M1,0	4	40	2,5	#
M1,1	4	40	2,5	#
M1,2	4	40	2,5	#
M1,4	5	40	2,5	#
M1,6	6	40	2,5	#
M1,7	6	40	2,5	#
M1,8	6	40	2,5	#
M2	6	45	2,8	#
M2,5	6	50	2,8	#

Diam	Gj.parti	Lengde	Tange Ø	Din 371
M3	6	56	3,5	#
M3,5	6	56	4,0	?
M4	7	63	4,5	#
M5	8	70	6	#
M6	10	70	6	#
M7	12	70	7	#
M8	14	90	8	#
M9	16	100	10	?
M10	16	100	10	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp HSS cob Din-13 UFS E61



Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	18	110	9	#
M14	20	110	11	#
M16	20	110	12	#
M18	25	125	14	#
M20	25	140	16	#
M22	27	140	18	#
M24	30	160	18	#
M27	30	160	20	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M30	35	180	22	#
M33	35	180	25	#
M36	40	200	28	#
M39	40	200	32	#
M42	45	200	32	#
M45	45	220	36	#
M48	50	250	36	#
M52	50	250	40	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp TIN coating Din-13 UFS ET92-93



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M3	11	56	3,5	#
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M8	22	90	8	#
M10	24	100	10	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#
M27	38	160	20	#
M30	45	180	22	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp TICN coating Din-13 A-SFT



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M2	6	45	2,8	#
M2,5	6	50	2,8	?
M3	11	56	3,5	#
M3,5	13	56	4,0	?
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M7	19	80	7	?
M8	22	90	8	#
M9	22	90	10	?
M10	24	100	10	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp OX coating Din-13 S-SFT



Diam	Gj.parti	Lengde	Tange Ø	Din 371
M2	6	45	2,8	#
M2,5	6	50	2,8	?
M3	11	56	3,5	#
M3,5	13	56	4,0	?
M4	13	63	4,5	#
M5	16	70	6	#
M6	19	80	6	#
M7	19	80	7	?
M8	22	90	8	#
M9	22	90	10	?
M10	24	100	10	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
M12	29	110	9	#
M14	30	110	11	#
M16	32	110	12	#
M18	34	125	14	#
M20	34	140	16	#
M22	34	140	18	#
M24	38	160	18	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF2,5x0,35	9	40	2,8	#
MF2,6x0,35	9	40	2,8	#
MF3x0,35	9	40	3,5	#
MF3,5x0,35	10	45	4	#
MF4x0,35	10	45	4,5	#
MF4x0,5	10	45	4,5	#
MF4,5x0,5	12	50	6	#
MF5x0,5	12	50	6	#
MF5x0,75	12	50	6	#
MF6x0,5	14	50	6	#
MF6x0,75	14	50	6	#
MF7x0,5	14	50	6	#
MF7x0,75	14	50	6	#
MF8x0,5	19	50	6	#
MF8x0,75	19	50	6	#
MF8x1	22	56	6	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF9x0,5	19	63	7	#
MF9x0,75	19	63	7	#
MF9x1	20	63	7	#
MF10x0,5	20	63	7	#
MF10x0,75	20	63	7	#
MF10x1	20	63	7	#
Mf10x1,25	24	70	7	#
MF11x0,75	20	63	8	#
MF11x1	20	63	8	#
MF11x1,25	22	63	8	#
MF12x0,5	22	70	9	#
MF12x0,75	22	70	9	#
MF12x1	22	70	9	#
MF12x1,25	22	70	9	#
MF12x1,5	22	70	9	#
MF13x0,5	22	70	11	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF13x0,75	22	70	11	#
MF13x1	22	70	11	#
MF13x1,5	22	70	11	#
MF14x0,5	22	70	11	#
MF14x0,75	22	70	11	#
MF14x1	22	70	11	#
MF14x1,25	22	70	11	#
MF14x1,5	22	70	11	#
MF15x0,75	22	70	12	#
MF15x1	22	70	12	#
MF15x1,5	22	70	12	#
MF16x0,75	22	70	12	#
MF16x1	22	70	12	#
MF16x1,25	22	70	12	#
MF16x1,5	22	70	12	#
MF17x1	22	70	12	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF17x1,5	22	70	12	#
MF18x0,5	22	80	14	#
MF18x0,75	22	80	14	#
MF18x1	22	80	14	#
MF18x1,25	22	80	14	#
MF18x1,5	22	80	14	#
MF18x2	22	80	14	#
MF19x1	22	80	14	#
MF19x1,5	22	80	14	#
MF20x0,5	22	80	16	#
MF20x0,75	22	80	16	#
MF20x1	22	80	16	#
MF20x1,25	22	80	16	#
MF20x1,5	22	80	16	#
MF20x2	22	80	16	#
MF21x1,0	22	80	16	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF21x1,5	22	80	16	#
MF22x0,5	22	80	18	#
MF22x0,75	22	80	18	#
MF22x1,0	22	80	18	#
MF22x1,25	22	80	18	#
MF22x1,5	22	80	18	#
MF22x2,0	22	80	18	#
MF23x1,0	22	80	18	#
MF23x1,5	22	80	18	#
MF24x0,5	22	90	18	#
MF24x0,75	22	90	18	#
MF24x1,0	22	90	18	#
MF24x1,25	22	90	18	#
MF24x1,5	22	90	18	#
MF24x2,0	22	90	18	#
MF25x1,0	22	90	18	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF25x1,5	22	90	18	#
MF26x1,0	22	90	18	#
MF26x1,5	22	90	18	#
MF26x2,0	22	90	18	#
MF27x1,0	22	90	20	#
MF27x1,5	22	90	20	#
MF27x2,0	22	90	20	#
MF28x1,0	22	90	20	#
MF28x1,5	22	90	20	#
MF28x2,0	22	90	20	#
MF29x1,5	22	90	22	#
MF30x1,0	22	90	22	#
MF30x1,5	22	90	22	#
MF30x2,0	22	90	22	#
MF30x2,5	56	125	22	#
MF30x3,0	56	125	22	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF32x1,0	22	90	22	#
MF32x1,5	22	90	22	#
MF32x2,0	22	90	22	#
MF32x2,5	56	125	22	#
MF32x3,0	56	125	22	#
MF33x1,5	25	100	25	#
MF33x2,0	25	100	25	#
MF33x3,0	56	125	25	#
MF34x1,0	25	100	28	#
MF34x1,5	25	100	28	#
MF34x1,5	40	125	28	#
MF34x2,0	40	125	28	#
MF35x1,0	25	100	28	#
MF35x1,5	25	100	28	#
MF35x2,0	40	125	28	#
MF36x1,0	25	100	28	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF36x1,0	25	100	28	#
MF36x1,5	25	100	28	#
MF36x2,0	40	125	28	#
MF36x3,0	40	125	28	#
MF37x1,5	25	100	28	#
MF38x1,0	25	100	28	#
MF38x1,5	25	100	28	#
MF38x2,0	40	125	28	#
MF38x3,0	40	125	28	#
MF39x1,5	25	110	32	#
MF39x2,0	40	125	32	#
MF39x3,0	40	125	32	#
MF40x1,0	25	110	32	#
MF40x1,5	25	110	32	#
MF40x2,0	40	125	32	#
MF40x3,0	40	125	32	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF42x1,0	25	110	32	#
MF42x1,5	25	110	32	#
MF42x2,0	40	125	32	#
MF42x3,0	40	125	32	#
MF44x1,5	25	110	36	#
MF44x2,0	40	125	36	#
MF45x1,0	25	110	36	#
MF45x1,5	25	110	36	#
MF45x2,0	40	125	36	#
MF45x3,0	40	125	36	#
MF46x1,5	40	140	36	#
MF48x1,0	40	140	36	#
MF48x1,5	40	140	36	#
MF48x2,0	40	140	36	#
MF48x3,0	40	140	36	#
MF50x1,5	40	140	36	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF50x2,0	40	140	36	#
MF50x3,0	40	140	36	#
MF52x1,5	40	140	40	#
MF52x2,0	40	140	40	#
MF52x3,0	40	140	40	#
MF54x1,0	32	140	40	?
MF54x1,5	32	140	40	?
MF54x2,0	36	140	40	?
MF54x3,0	40	140	40	?
MF54x4,0	50	180	40	?
MF55x1,5	32	140	40	?
MF55x2,0	40	140	40	?
MF56x1,0	32	140	40	?
MF56x1,5	32	140	40	?
MF56x2,0	36	140	40	?
MF56x3,0	40	140	40	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF56x4,0	50	180	40	?
MF58x1,0	32	160	45	?
MF58x1,5	32	160	45	?
MF58x2,0	36	160	45	?
MF58x3,0	40	160	45	?
MF58x4,0	55	200	45	?
MF60x1,5	34	160	45	?
MF60x2,0	36	160	45	?
MF60x3,0	40	160	45	?
MF60x4,0	55	200	45	?
MF62x1,5	34	160	50	?
MF62x2,0	36	160	50	?
MF62x3,0	45	160	50	?
MF62x4,0	55	220	50	?
MF63x1,5	32	160	50	?
MF64x1,5	34	160	50	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF64x2,0	36	160	50	?
MF64x3,0	45	180	50	?
MF64x4,0	60	220	50	?
MF65x1,5	34	160	50	?
MF65x2,0	36	160	50	?
MF65x3,0	45	180	50	?
MF65x4,0	60	220	50	?
MF68x1,5	36	160	50	?
MF68x2,0	40	160	50	?
MF68x3,0	50	180	50	?
MF68x4,0	60	220	50	?
MF70x1,5	36	160	50	?
MF70x2,0	40	160	50	?
MF70x3,0	50	200	50	?
MF70x4,0	50	240	50	?
MF72x1,5	36	160	50	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF72x2,0	40	160	50	?
MF72x3,0	50	200	50	?
MF72x4,0	60	240	50	?
MF74x1,5	36	160	50	?
MF74x2,0	40	160	50	?
MF74x3,0	50	200	50	?
MF74x4,0	60	240	50	?
MF75x1,5	36	160	50	?
MF75x2,0	40	160	50	?
MF75x3,0	50	200	50	?
MF75x4,0	60	240	50	?
MF76x1,5	36	160	50	?
MF76x2,0	40	160	50	?
MF76x3,0	50	220	50	?
MF76x4,0	60	260	50	?
MF78x1,5	36	160	50	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF78x2,0	40	160	50	?
MF78x3,0	55	220	50	?
MF78x4,0	65	260	50	?
MF80x1,5	36	160	50	?
MF80x2,0	40	160	50	?
MF80x3,0	55	220	50	?
MF80x4,0	65	260	50	?
MF82x1,5	36	160	50	?
MF82x2,0	40	160	50	?
MF82x3,0	55	220	50	?
MF82x4,0	65	260	50	?
MF84x1,5	36	160	50	?
MF84x2,0	40	160	50	?
MF84x3,0	55	220	50	?
MF84x4,0	65	260	50	?
MF85x1,5	36	160	50	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

### MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF85x2,0	40	160	50	?
MF85x3,0	55	220	50	?
MF85x4,0	65	260	50	?
MF86x1,5	36	160	50	?
MF86x2,0	40	160	50	?
MF86x3,0	55	220	50	?
MF86x4,0	65	260	50	?
MF88x1,5	36	160	50	?
MF88x2,0	40	160	50	?
MF88x3,0	55	220	50	?
MF88x4,0	65	260	50	?
MF90x1,5	36	160	50	?
MF90x2,0	40	160	50	?
MF90x3,0	55	220	50	?
MF90x4,0	65	260	50	?
MF92x1,5	40	180	56	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF92x2,0	45	180	56	?
MF92x3,0	60	240	56	?
MF92x4,0	70	280	56	?
MF95x1,5	40	180	56	?
MF95x2,0	45	180	56	?
MF95x3,0	60	240	56	?
MF95x4,0	70	280	56	?
MF96x1,5	40	180	56	?
MF96x2,0	45	180	56	?
MF96x3,0	60	240	56	?
MF96x4,0	70	280	56	?
MF98x1,5	40	180	56	?
MF98x2,0	45	180	56	?
MF98x3,0	60	240	56	?
MF98x4,0	70	280	56	?
MF100x1,5	45	180	56	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din-13

### MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF100x2,0	50	180	56	?
MF100x3,0	65	240	56	?
MF100x4,0	70	280	56	?
MF105x1,5	45	180	56	?
MF105x2,0	50	180	56	?
MF105x3,0	65	240	56	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF105x4,0	75	280	56	?
MF110x1,5	45	180	56	?
MF110x2,0	50	180	56	?
MF110x3,0	65	220	56	?
MF110x4,0	75	280	56	?

# NORWEGIAN TOOLS AS ✓

## Maskintapp TICN coating Din-13 OSG A-SFT

### MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF6x0,75	14	80	8	#
MF6x0,75	14	80	8	#
MF8x0,75	19	90	8	#
MF8x1	22	90	8	#
MF10x0,75	20	90	10	#
MF10x1	20	90	10	#
M10x1,25	24	100	10	#
MF12x1	22	100	9	#
MF12x1,25	22	100	9	#
MF12x1,5	22	100	9	#
MF14x1	22	100	11	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF14x1,25	22	100	11	#
MF14x1,5	22	100	11	#
MF16x1	22	100	12	#
MF16x1,5	22	100	12	#
MF18x1,5	22	110	14	#
MF20x1,5	22	125	16	#
MF20x2,0	22	140	16	#
MF22x1,5	22	125	18	#
MF24x1,5	22	140	18	#
MF24x2,0	22	140	18	#

# NORWEGIAN TOOLS AS ✓

J

Rett bunntapp **venstre**

## Din-13

## MF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF6x0,75	14	50	6	#
MF8x0,75	19	50	6	#
MF8x1	22	56	6	#
MF10x1	20	63	7	#
M10x1,25	24	70	7	#
MF12x1	22	70	9	#
MF12x1,25	22	70	9	#
MF12x1,5	22	70	9	#
MF14x1,25	22	70	11	#
MF14x1,5	22	70	11	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
MF16x1	22	70	12	#
MF16x1,5	22	70	12	#
MF18x1,5	22	80	14	#
MF20x1,5	22	80	16	#
MF22x1,5	22	80	18	#
MF24x1,5	22	90	18	#
MF24x2,0	22	90	18	#
MF30x1,5	22	90	22	#
MF30x2,0	22	90	22	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp ANSI B 1.1

## UNC



Diam	Gj.parti	Lengde	Tange Ø	Din 352
C.Nr1-64	10	32	2,5	#
C.Nr2-56	11	36	2,8	#
C.Nr3-48	11	36	2,8	#
C.Nr4-40	12	40	3,5	#
C.Nr5-40	12	40	3,5	#
C.Nr6-32	14	45	4,0	#
C.Nr8-32	14	45	4,5	#
C.Nr10-24	16	50	6,0	#
C.Nr12-24	18	50	6,0	#
C.1/4-20	19	50	6,0	#
C.5/16-18	22	56	6,0	#
C.3/8-16	24	70	7,0	#
C.7/16-14	24	70	8,0	#
C.1/2-13	29	75	9,0	#
C.9/16-12	30	80	11,0	#
C.5/8-11	32	80	12,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352
C.3/4-10	40	95	14,0	#
C.7/8-9	40	100	18,0	#
C.1-8	50	110	18,0	#
C.1.1/8-7	56	132	22,0	#
C.1.1/4-7	56	132	22,0	#
C.1.3/8-6	63	150	28,0	#
C.1.1/2-6	63	150	32,0	#
C.1.5/8-5	70	160	32,0	?
C.1.3/4-5	70	160	36,0	?
C.1.7/8-4,5	80	190	36,0	?
C.2-4,5	80	190	40,0	?
C.2.1/4-4,5	80	220	45,0	?
C.2.1/2-4	80	220	50,0	?
C.2.3/4-4	80	240	50,0	?
C.3-4	80	260	36,0	?

# NORWEGIAN TOOLS AS ✓

<b>Maskintapp OX coating</b> <b>ANSI B 1.1 S-POT</b>	<b>UNC</b> 
---	--

Diam	Gj.parti	Lengde	Tange Ø	Din2184
C.Nr2-56	11	45	2,8	?
C.Nr3-48	11	50	2,8	?
C.Nr4-40	12	56	3,5	?
C.Nr5-40	12	56	3,5	?
C.Nr6-32	14	56	4,0	?
C.Nr8-32	14	63	4,5	?
C.Nr10-24	16	70	6,0	?
C.Nr12-24	18	80	6,0	?

Diam	Gj.parti	Lengde	Tange Ø	Din2184
C.1/4-20	19	80	6,0	#
C.5/16-18	22	90	6,0	#
C.3/8-16	24	100	7,0	#
C.7/16-14	24	100	8,0	#
C.1/2-13	29	110	9,0	#
C.9/16-12	30	110	11,0	#
C.5/8-11	32	110	12,0	#
C.3/4-10	40	125	14,0	#
C.7/8-9	40	140	18,0	#
C.1-8	50	160	18,0	#

# NORWEGIAN TOOLS AS ✓

Maskintapp OX coating

## ANSI B 1.1 S-SFT

## UNC



Diam	Gj.parti	Lengde	Tange Ø	Din2184
C.Nr2-56	11	45	2,8	?
C.Nr3-48	11	50	2,8	?
C.Nr4-40	12	56	3,5	?
C.Nr5-40	12	56	3,5	?
C.Nr6-32	14	56	4,0	?
C.Nr8-32	14	63	4,5	?
C.Nr10-24	16	70	6,0	?
C.Nr12-24	18	80	6,0	?

Diam	Gj.parti	Lengde	Tange Ø	Din2184
C.1/4-20	19	80	6,0	#
C.5/16-18	22	90	6,0	#
C.3/8-16	24	100	7,0	#
C.7/16-14	24	100	8,0	#
C.1/2-13	29	110	9,0	#
C.9/16-12	30	110	11,0	#
C.5/8-11	32	110	12,0	#
C.3/4-10	40	125	14,0	#
C.7/8-9	40	140	18,0	#
C.1-8	50	160	18,0	#

# NORWEGIAN TOOLS AS ✓

Rett bunntapp **venstre**

## ANSI B 1.1

## UNC



Diam	Gj.parti	Lengde	Tange Ø	Din 352
C.Nr6-32	14	45	4,0	#
C.Nr8-32	14	45	4,5	#
C.Nr10-24	16	50	6,0	#
C.Nr12-24	18	50	6,0	#
C.1/4-20	19	50	6,0	#
C.5/16-18	22	56	6,0	#
C.3/8-16	24	70	7,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352
C.7/16-14	24	70	8,0	#
C.1/2-13	29	75	9,0	#
C.9/16-12	30	80	11,0	#
C.5/8-11	32	80	12,0	#
C.3/4-10	40	95	14,0	#
C.7/8-9	40	100	18,0	#
C.1-8	50	110	18,0	#

Rett bunntapp

## BS-Withworth

## BSW



Diam	Gj.parti	Lengde	Tange Ø	Din 352
W 1/2 -12	25	110	9	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp ANSI B 1.1

## UNF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
F.Nr0-80	8	28	2,5	#
F.Nr1-72	9	32	2,8	#
F.Nr2-64	10	32	2,8	#
F.Nr3-56	10	32	2,8	#
F.Nr4-48	11	36	3,5	#
F.Nr5-44	11	36	3,5	#
F.Nr6-40	12	40	4,5	#
F.Nr8-36	12	40	4,5	#
F.Nr10-32	14	45	6,0	#
F.Nr12-28	14	50	6,0	#
F.1/4-28	18	50	6,0	#
F.5/16-24	22	56	6,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
F.3/8-24	22	63	7,0	#
F.7/16-20	22	63	8,0	#
F.1/2-20	24	75	9,0	#
F.9/16-18	28	80	11,0	#
F.5/8-18	28	80	12,0	#
F.3/4-16	32	95	14,0	#
F.7/8-14	36	100	18,0	#
F.1-14	40	110	18,0	#
F.1.1/8-12	50	110	22,0	#
F.1.1/4-12	56	132	22,0	#
F.1.3/8-12	56	132	28,0	#
F.1.1/2-12	63	150	32,0	#

# NORWEGIAN TOOLS AS ✓

<b>Maskintapp OX coating</b> <b>ANSI B 1.1 S-POT</b>	<b>UNF</b> 
---	--

Diam	Gj.parti	Lengde	Tange Ø	Din2184
F.Nr2-56	11	45	2,8	?
F.Nr3-48	11	50	2,8	?
F.Nr4-40	12	56	3,5	?
F.Nr5-40	12	56	3,5	?
F.Nr6-32	14	56	4,0	?
F.Nr8-32	14	63	4,5	?
F.Nr10-24	16	70	6,0	?
F.Nr12-24	18	80	6,0	?

Diam	Gj.parti	Lengde	Tange Ø	Din2184
F.1/4-20	19	80	6,0	#
F.5/16-18	22	90	6,0	#
F.3/8-16	24	100	7,0	#
F.7/16-14	24	100	8,0	#
F.1/2-13	29	110	9,0	#
F.9/16-12	30	110	11,0	#
F.5/8-11	32	110	12,0	#
F.3/4-10	40	125	14,0	#
F.7/8-9	40	140	18,0	#
F.1-8	50	160	18,0	#

# NORWEGIAN TOOLS AS ✓

Maskintapp OX coating

## ANSI B 1.1 S-SFT

## UNF



Diam	Gj.parti	Lengde	Tange Ø	Din2184
F.Nr2-56	11	45	2,8	?
F.Nr3-48	11	50	2,8	?
F.Nr4-40	12	56	3,5	?
F.Nr5-40	12	56	3,5	?
F.Nr6-32	14	56	4,0	?
F.Nr8-32	14	63	4,5	?
F.Nr10-24	16	70	6,0	?
F.Nr12-24	18	80	6,0	?

Diam	Gj.parti	Lengde	Tange Ø	Din2184
F.1/4-20	19	80	6,0	#
F.5/16-18	22	90	6,0	#
F.3/8-16	24	100	7,0	#
F.7/16-14	24	100	8,0	#
F.1/2-13	29	110	9,0	#
F.9/16-12	30	110	11,0	#
F.5/8-11	32	110	12,0	#
F.3/4-10	40	125	14,0	#
F.7/8-9	40	140	18,0	#
F.1-8	50	160	18,0	#
F.1-8	50	160	18,0	#

# NORWEGIAN TOOLS AS ✓

Rett bunntapp **venstre**

## ANSI B 1.1

## UNF



Diam	Gj.parti	Lengde	Tange Ø	Din 352
F.Nr10-32	14	45	6,0	#
F.Nr12-28	14	50	6,0	#
F.1/4-28	18	50	6,0	#
F.5/16-24	22	56	6,0	#
F.3/8-24	22	63	7,0	#
F.7/16-20	22	63	8,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 352
F.1/2-20	24	75	9,0	#
F.9/16-18	28	80	11,0	#
F.5/8-18	28	80	12,0	#
F.3/4-16	32	95	14,0	#
F.7/8-14	36	100	18,0	#
F.1-12	40	110	18,0	#

# NORWEGIAN TOOLS AS ✓

Rett-mellom-spiraltapp

## ANSI B 1.1

## UNEF



Diam	Gj.parti	Lengde	Tange Ø	Din 529
EF.Nr.12-32	17	62	5,6	#
EF.1/4-32	19	66	6,3	#
EF.5/16-32	22	72	8,0	#
EF.3/8-32	24	80	10,0	#
EF.7/16-28	25	85	8,0	#
EF.1/2-28	29	89	9,0	#
EF.9/16-24	30	95	11,2	#
EF.5/8-24	32	102	12,5	#
EF.11/16	37	112	14,0	#
EF.3/4-20	37	112	14,0	#
EF.13/16	38	118	16,0	#
EF.7/8-20	38	118	16,0	#
EF.13/16	45	130	18,0	#
EF.1-20	45	130	18,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 529
EF.1.1/16-18	48	138	20,0	?
EF.1.1/8-18	48	138	20,0	?
EF.1.3/16-18	51	151	22,4	?
EF.1.1/4-18	51	151	22,4	?
EF.1.5/16-18	57	162	25,0	?
EF.1.3/8-18	57	162	25,0	?
EF.1.7/16-18	60	170	28,0	?
EF.1.1/2-18	60	170	28,0	?
EF.1.9/16-18	60	170	28,0	?
EF.1.5/8-18	60	170	28,0	?
EF1.11/16-18	67	187	31,5	?
EF.1.3/4-18	67	187	31,5	?
EF.2-18	70	200	35	?

# NORWEGIAN TOOLS AS ✓

## Rett-mellomtapp ANSI B 1.1

## UN



Diam	Gj.parti	Lengde	Tange Ø	ISO 529
UN.5/16-28	22	72	8,0	#
UN.3/8-28	24	80	10,0	#
UN.7/16-32	25	85	8,0	#
UN.1/2-32	29	89	9,0	#
UN.9/16-28	30	95	11,2	#
UN.9/16-32	30	95	11,2	#
UN.5/8-28	32	102	12,5	#
UN.1-32	45	130	18	#

Diam	Gj.parti	Lengde	Tange Ø	ISO 529
UN.5/16-20	22	72	8,0	#
UN.3/8-20	24	80	10,0	#
UN.9/16-20	30	95	11,2	#
UN.5/8-20	32	102	12,5	#
UN.11/16-20	37	112	14,0	#
UN.1.1/16-20	25	140	20,0	#
UN.1.1/8-20	28	150	22,0	#
UN.1.1/4-20	28	150	22,0	#
UN.1.3/8-20	30	170	28,0	#

# NORWEGIAN TOOLS AS ✓

## Rett-mellomtapp ANSI B 1.1

## UNS



Diam	Gj.parti	Lengde	Tange Ø	Din 529
UNS 10-40	13	70	6	#
UNS 10-48	13	70	6	#
UNS 12-36	16	80	6	#
UNS.1/4-24	19	66	6,3	#
UNS.1/4-36	19	66	6,3	#
UNS.1/4-40	19	66	6,3	#
UNS.3/8-27	24	80	10,0	#
UNS.7/16-24	25	85	8,0	#
UNS.1/2-24	29	89	9,0	#
UNS.5/8-27	32	102	12,5	#

Diam	Gj.parti	Lengde	Tange Ø	Din 529
UNS.3/4-24	37	112	14,0	#
UNS.7/8-18	38	118	16,0	#
UNS.1-14	45	130	18,0	#
UN.11/16-16	37	112	14,0	#
UN.1-16	28	140	18,0	?
UN.1.1/8-16	28	150	22,0	?
UN.1.1/4-16	28	150	22,0	?
UN.1.1/2-16	30	170	28,0	?
UN.2-16	32	190	40,0	?

# NORWEGIAN TOOLS AS ✓

## Rett-mellomtapp ANSI B 1.1

## 8-UN



Diam	Gj.parti	Lengde	Tange Ø	Din 529
UN 1.1/16-8	48	138	20,0	?
UN 1.1/8-8	48	138	20,0	?
UN 1.3/16-8	51	151	22,4	?
UN 1.1/4-8	51	151	22,4	?
UN 1.5/16-8	57	162	25,0	?
UN 1.3/8-8	57	162	25,0	?
UN 1.1/2-8	60	170	28,0	?
UN 1.5/8-8	60	170	28,0	?
UN 1.3/4-8	67	187	31,5	?
UN 1.7/8-8	67	187	31,5	?

Diam	Gj.parti	Lengde	Tange Ø	Din 529
UN 2-8	70	200	35,5	?
UN 2.1/8-8	70	200	35,5	?
UN 2.1/4-8	76	221	40,0	?
UN 2.1/2-8	79	224	40,0	?
UN 2.3/4-8	79	234	45,0	?
UN 3-8	83	258	50,0	?
UN 3.1/4-8	86	261	50,0	?
UN 3.1/2-8	86	261	50,0	?
UN 3.3/4-8	89	279	56,0	?
UN 4-8	89	279	56,0	?

# NORWEGIAN TOOLS AS ✓

Rett mellom-bunntapp

## ANSI B 1.1

## 12-UN



Diam	Gj.parti	Lengde	Tange Ø	Din 529
UN7/8-12	25	125	18,0	#
UN1.1/16-12	25	140	20,0	#
UN1.3/16-12	28	150	22,0	#
UN1.5/16-12	30	170	28,0	#
UN1.7/16-12	30	170	28,0	#
UN1.5/8-12	60	170	28,0	?
UN1.3/4-12	67	187	31,5	?
UN1.7/8-12	67	187	31,5	?
UN2-12	70	200	35,5	?

Diam	Gj.parti	Lengde	Tange Ø	Din 529
UN2.1/8-12	70	200	35,5	?
UN2.1/4-12	76	221	40,0	?
UN2.1/2-12	79	224	40,0	?
UN2.3/4-12	79	234	45,0	?
UN3-12	83	258	50,0	?
UN3.1/4-12	86	261	50,0	?
UN3.1/2-12	86	261	50,0	?
UN3.3/4-12	89	279	56,0	?
UN4-12	89	279	56,0	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp ISO 228 BSP

G



Diam	Gj.parti	Lengde	Tange Ø	Din 5157
G 1/8-28	20	63	7	#
G 1/4-19	22	70	11	#
G 3/8-19	22	70	12	#
G 1/2-14	22	80	16	#
G 5/8-14	22	80	18	#
G 3/4-14	22	90	20	#
G 7/8-14	22	90	22	#
G 1-11	25	100	25	#
G 1.1/8-11	40	125	28	#
G 1.1/4-11	40	125	32	#
G 1.3/8-11	40	140	36	#

Diam	Gj.parti	Lengde	TangeØ	Din 5157
G 1.1/2-11	40	140	36	#
G 1.5/8-11	40	140	40	#
G 1.3/4-11	40	140	40	#
G 2-11	40	160	45	#
G 2.1/4-11	40	160	50	#
G 2.1/2-11	40	160	50	#
G 2.3/4-11	40	160	50	#
G 3-11	45	160	50	#
G 3.1/2-11	45	160	56	#
G 4-11	45	160	56	#

# NORWEGIAN TOOLS AS ✓

## Maskintapp TIN coating ISO 228 BSP ET60

G



Diam	Gj.parti	Lengde	Tange Ø	Din5156
G 1/8	20	90	7	#
G 1/4	22	100	11	#
G 3/8	22	100	12	#

Diam	Gj.parti	Lengde	Tange Ø	Din5156
G 1/2	25	125	16	#
G 3/4	28	125	20	#
G 1	30	160	25	#

## Maskintapp TiCN coating ISO 228 BSP A-SFT

G



Diam	Gj.parti	Lengde	Tange Ø	Din5156
G 1/8	20	90	7	#
G 1/4	22	100	11	#
G 3/8	22	100	12	#

Diam	Gj.parti	Lengde	Tange Ø	Din5156
G 1/2	25	125	16	#
G 3/4	28	125	20	#
G 1	30	160	25	#

# NORWEGIAN TOOLS AS ✓

<b>Maskintapp OX coating</b> <b>ISO 228 BSP S-POT</b>					G					
<b>Diam</b>	<b>Gj.parti</b>	<b>Lengde</b>	<b>Tange Ø</b>	<b>Din5156</b>		<b>Diam</b>	<b>Gj.parti</b>	<b>Lengde</b>	<b>Tange Ø</b>	<b>Din5156</b>
G 1/8	20	90	7	#		G 1/2	25	125	16	#
G 1/4	22	100	11	#		G 3/4	28	125	20	#
G 3/8	22	100	12	#		G 1	30	160	25	#

<b>Maskintapp OX coating</b> <b>ISO 228 BSP S-SFT</b>					G					
<b>Diam</b>	<b>Gj.parti</b>	<b>Lengde</b>	<b>Tange Ø</b>	<b>Din5156</b>		<b>Diam</b>	<b>Gj.parti</b>	<b>Lengde</b>	<b>Tange Ø</b>	<b>Din5156</b>
G 1/8	20	90	7	#		G 1/2	25	125	16	#
G 1/4	22	100	11	#		G 3/4	28	125	20	#
G 3/8	22	100	12	#		G 1	30	160	25	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Kon 1:16 BSPT

RC



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
PT 1/16-28	17	55	8,0	#
PT 1/8-28	19	55	8,0	#
PT 1/4-19	28	62	11,0	#
PT 3/8-19	28	65	14,0	#
PT 1/2-14	35	80	18,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
PT 3/4-14	35	85	23,0	#
PT 1-11	45	95	26,0	#
PT 1.1/4-11	45	105	32,0	?
PT 1.1/2-11	45	110	38,0	?
PT 2-11	50	120	46,0	?

## Rett bunntapp ISO 7-1 BSPP

Rp



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
PS 1/16-28	17	55	8,0	#
PS 1/8-28	19	55	8,0	#
PS 1/4-19	28	62	11,0	#
PS 3/8-19	28	65	14,0	#
PS 1/2-14	35	80	18,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
PS 3/4-14	35	85	23,0	#
PS 1-11	45	95	26,0	#
PS 1.1/4-11	45	105	32,0	?
PS 1.1/2-11	45	110	38,0	?
PS 2-11	50	120	46,0	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Kon 1:16 NPT

### NPT



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
1/16-27	19	65	7.0	#
1/8-27	19	65	7,0	#
1/4-18	25	70	11,0	#
3/8-18	26	75	12,0	#
1/2-14	31	80	16.0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
3/4-14	33	100	20,0	#
1-11,5	38	110	25,0	#
1.1/4-11,5	41	125	32,0	#
1.1/2-11,5	42	140	36,0	?
2-11,5	44	160	36,0	?

## Masintapp TICN coating Kon 1:16 OSG A-SFT

### NPT



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
1/16-27	19	65	7.0	#
1/8-27	19	65	7,0	#
1/4-18	25	70	11,0	#
3/8-18	26	75	12,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
1/2-14	31	80	16.0	#
3/4-14	33	100	20,0	#
1-11,5	38	110	25,0	#

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Kon 1:16 NPTF

TF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
1/16-27	18	55	6,5	?
1/8-27	19	55	8,0	?
1/4-18	28	62	11,0	?
3/8-18	28	65	14,0	?
1/2-14	35	80	18,0	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
3/4-14	35	85	23,0	?
1-11,5	45	95	26,0	?
1.1/4-11,5	45	105	32,0	?
1.1/2-11,5	45	110	38,0	?
2-11,5	50	120	46,0	?

## Rett bunntapp Kon pipe

NPS



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
S 1/16-27	18	54	6,5	#
S 1/8-27	19	55	8,0	#
S 1/4-18	28	62	11,0	#
S 3/8-18	28	65	14,0	#
S 1/2-14	35	80	18,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
S 3/4-14	35	85	23,0	#
S 1-11,5	45	95	26,0	#
S1.1/4-11,5	45	105	32,0	?
S1.1/2-11,5	45	110	38,0	?
S 2-11,5	50	120	46,0	?

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp NPSM-NPSC

S\*



Diam	Gj.parti	Lengde	Tange Ø	Din 2181		Diam	Gj.parti	Lengde	Tange Ø	Din 2181
S* 1/8-27	15	90	7,0	?		S* 1/2-14	25	125	16,0	?
S* 1/4-18	22	100	11,0	?		S* 3/4-14	25	140	20,0	?
S* 3/8-18	22	100	12,0	?		S* 1-11,5	30	160	25,0	?

## Rett bunntapp NPSF

SF



Diam	Gj.parti	Lengde	Tange Ø	Din 2181		Diam	Gj.parti	Lengde	Tange Ø	Din 2181
SF 1/8-27	15	90	7,0	?		SF 1/2-14	25	125	16,0	?
SF 1/4-18	22	100	11,0	?		SF 3/4-14	25	140	20,0	?
SF 3/8-18	22	100	12,0	?		SF 1-11,5	30	160	25,0	?

# NORWEGIAN TOOLS AS ✓

Rett bunntapp <b>Din 79012</b>					FG 				
Diam	Gj.parti	Lengde	Tange Ø	Din 374	Diam	Gj.parti	Lengde	Tange Ø	Din 374
FG 2x56	8	45	2,8	?	FG 9,5x26	16	90	7,0	?
FG 2,3x56	8	45	2,8	?	FG 14,3x20	22	100	11,0	?
FG 2,6x56	8	56	3,5	?	FG 25,4x24	24	140	18,0	?
FG 6,35x26	14	80	7,0	?					
FG 7,9x26	16	90	8,0	?	FG14,3x20V	22	100	11,0	?

FG og BSC er sykkel gjenger

Rett bunntapp <b>BS 811</b>					BSC 				
Diam	Gj.parti	Lengde	Tange Ø	Din 374	Diam	Gj.parti	Lengde	Tange Ø	Din 374
BSC 1/4x26	14	80	7,0	?	BSC 1x24	24	140	18,0	?
BSC 5/16x26	16	90	8,0	?					
BSC 3/8x26	16	90	7,0	?	9/16x20V	22	100	11,0	?
BSC 9/16x20	22	100	11,0	?					

# NORWEGIAN TOOLS AS ✓

## Rett bunntapp Din 40432

PG



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
PG 7x20	22	70	9,0	#
PG 9x18	22	70	12,0	#
PG 11x18	22	80	14,0	#
PG 13,5x18	22	80	16,0	#
PG 16x18	22	80	18,0	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
PG 21x16	22	90	22,0	#
PG 29x16	25	100	28,0	#
PG 36x16	40	140	36,0	#
PG 42x16	40	140	40,0	#
PG 48x16	40	160	45,0	#

VG er ventil gjenger

## Rett bunntapp Din 7756

Vg




Diam	Gj.parti	Lengde	Tange Ø	Din 2181
Vg 5x36	12	80	6,0	?
Vg 5,2x24	17	90	6,0	?
Vg 6x32	14	90	7,0	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
Vg 8x32	16	80	8,0	?
Vg 10x26	18	90	8,0	?
Vg 12x26	22	100	9,0	?

# NORWEGIAN TOOLS AS ✓

## Rett mellomtapp Trapez Din 103




Diam	Gj.parti	Lengde	Tange Ø	Din 2181
TR 8x1,5	63	110	6	#
TR 10x2	63	110	7	#
TR 10x3	75	125	7	#
TR 12x2	57	125	8	#
TR 12x3	111	165	8	#
TR 14x2	61	135	10	#
TR 14x3	85	140	10	#
TR 14X4	112	170	10	#
TR 16x2	56	135	11	#
TR 16x4	116	180	11	#
TR 18x2	56	149	12	#
TR 18x4	120	190	12	#
TR 20x2	56	145	14	#

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
TR 20x4	124	200	14	#
TR 22x4	130	210	16	#
TR 22x5	155	235	16	#
TR 24x3	84	185	18	?
TR 24x5	160	245	24	#
TR 26x5	165	255	20	#
TR 28x5	170	265	22	#
TR 30x3	74	200	22	?
TR 30x6	185	290	22	#
TR 32x6	191	300	25	#
TR 36x3	84	220	28	?
TR 36x6	200	310	28	?
TR 40x7	225	380	32	?

# NORWEGIAN TOOLS AS ✓

## Rett mellomtapp **venstre** Trapez Din 103



Diam	Gj.parti	Lengde	Tange Ø	Din 2181
TR 10x2	63	110	7	?
TR 10x3	75	125	7	?
TR 12x3	111	165	8	?
TR 14x3	85	140	10	?
TR 14X4	112	170	10	?
TR 16x4	116	180	11	?
TR 18x4	120	190	12	?
TR 20x4	124	200	14	?

Diam	Gj.parti	Lengde	Tange Ø	Din 2181
TR 22x5	155	235	16	?
TR 24x5	160	245	24	?
TR 26x5	165	255	20	?
TR 28x5	170	265	22	?
TR 30x6	185	290	22	?
TR 32x6	191	300	25	?
TR 36x6	200	310	28	?

# NORWEGIAN TOOLS AS ✓

## Maskintapp spiral Helicoil OSG HL-AL

EG



Diam	Gj.parti	Lengde	Tange Ø	Din 376
EG M2				#
EG M2,5				#
EG M3	7	63	4,5	#
EG M4	8	70	6	#
EG M5	10	80	6	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
EG M6	13	90	8	#
EG M8	15	100	10	#
EG M10	18	110	9	#
EG M12	20	110	11	#

## Maskintapp spiral Helicoil UFS EC70

EG



Diam	Gj.parti	Lengde	Tange Ø	Din 376
EG M2				#
EG M2,5				#
EG M3	7	63	4,5	#
EG M4	8	70	6	#
EG M5	10	80	6	#

Diam	Gj.parti	Lengde	Tange Ø	Din 376
EG M6	13	90	8	#
EG M8	15	100	10	#
EG M10	18	110	9	#
EG M12	20	110	11	#

# **NORWEGIAN TOOLS AS** ✓



**Komplett lager, alle gjengetyper**